

INTERNATIONAL TCHOUKBALL FEDERATION
TECHNICAL COMMISSION

TCHOUKBALL RULES ON A REDUCED-SIZE PLAYING AREA

Document prepared by the FITB Technical Commission

© FITB, 2004

TCHOUKBALL RULES ON A REDUCED-SIZE PLAYING AREA

06.08.2004.

1. Introduction

This document is to compliment the referee code of the International Tchoukball Federation (FITB). It describes the modifications that must be made when tchoukball is played on a reduced-size tchoukball court, instead of an area of 20 metres wide by 40 metres long.

2. The playing area (contrary to articles 1.1 and 1.7)

Figure 1 illustrates the recommended dimensions for a reduced-size tchoukball court. The dimensions are in centimetres. A minimum 1-metre wide unobstructed area around the playing area is necessary. A 2-meter wide unobstructed area around the playing area is recommended.

For matches between high-level teams, it is recommended to use a field which size is near the maximum limits (i.e. between 16 to 17 metres wide by 28 to 30 metres long).




Figure 1 – Recommended dimensions for a reduced-size playing area [cm].

3. The players (contrary to articles 4.1 and 4.2)

A squad can be made up of up to 10 players on the match sheet. Any 7 of these players can play simultaneously. The remaining 3 players act as substitutes.